EDITOR: J. M. HONIG
ASSOCIATE EDITOR: W. R. ROBINSON

Journal of Solid State Chemistry

VOLUME 48, 1983

ACADEMIC PRESS
A Subsidiary of Harcourt Brace Jovanovich, Publishers
New York London
Paris San Diego San Francisco São Paulo Sydney Tokyo Toronto

Copyright © 1983 by Academic Press, Inc.
All rights reserved

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per copy fee through the Copyright Clearance Center, Inc. (21 Congress Street, Salem, Massachusetts 01970), for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Copy fees for pre-1983 articles are as shown on the article title pages; if no fee code appears on the title page, the copy fee is the same as for current articles.

0022-4596/83 $3.00

MADE IN THE UNITED STATES OF AMERICA

Contents of Volume 48

Number 1, June, 1983

P. L. Kukk and M. E. Altosaar. Defect Structure of Cl and Cu Doped CdS Heat Treated in Cd and S_2 Vapor 1

Yu. I. Mikhailov, A. B. Brosalin, and Yu. G. Galitsyn. Role of Ionic Defects in Photolysis of Lithium Hydride 11

I. Mayer and S. Cohen. The Crystal Structure of $Ca_6Eu_2Na_2(PO_4)_6F_2$ 17

M. Boudeulle, H. Batis-Landoulsi, Ch. Leclercq, and P. Vergnon. Structure of γ-Fe_2O_3 Microcrystals: Vacancy Distribution and Superstructure 21

K. Krezhov, K. Petrov, and T. Karamaneva. Neutron Diffraction Study on the Spinel $Cu_{0.72}Co_{2.28}O_4$ 33

Claude Belin and Rong Guo Ling. The Intermetallic Phases of Gallium and Alkali Metals. Interpretation of the Structures according to Wade's Electron-Counting Methods 40

Fumio Watari, P. Delavignette, J. Van Landuyt, and S. Amelinckx. Electron Microscopic Study of Dehydration Transformations. Part III: High Resolution Observation of the Reaction Process $FeOOH \rightarrow Fe_2O_3$ 49

C. R. A. Catlow, A. V. Chadwick, and J. Corish. The Defect Structure of Anion Excess CaF_2 65

S. Sheik Saleem, G. Aruldhas, and H. D. Bist. Normal Modes of the MoO_4^{2-} Ion in $Tb_{1.8}Eu_{0.2}(MoO_4)_3$ Single Crystal 77

V. M. Talanov. On the Conditions Pertaining to the Applicability of Végard's Rule in Spinel Solid Solution 86

Alan W. Searcy. The Equilibrium Shapes of Crystals and of Cavities in Crystals 93

D. Rieck, R. Langley, and L. Eyring. Defects in Hexagonal Vanadium Fluoride Bronzes: A High Resolution Electron Microscope Study 100

J. Zhuang, W. Kunnmann, L. M. Corliss, J. M. Hastings, and R. O. Moyer, Jr. Structure and Magnetism of Eu_2IrD_5 117

M. P. de Boer and S. Geller. Low-Temperature Phases of the Solid Electrolyte $Ag_{26}I_{18}W_4O_{16}$ 121

H. Oesterreicher and J. Elton. Metal Hydride Catalysis—Water Formation on Exposure of $LaCo_5H_z$ to O_2 128

Zbigniew M. Stadnik and Bert F. Otterloo. Electric Field Gradients in Eu–Sc–Fe Garnets 133

Brief Communication

J. C. Calabrese, L. H. Brixner, and C. M. Foris. $LaNb_2O_6Cl$: A New Lanthanum Halo Niobate 142

Number 2, July 1, 1983

André Leclaire, Jean-Claude Monier, and Bernard Raveau. $K_4Mo_8^{V}P_{12}O_{52}$, A Tunnel Structure Characterized by an Unusual Valence of Molybdenum ... 147

Wubeshet Sahle and Mats Nygren. Electrical Conductivity and High Resolution Electron Microscopy Studies of WO_{3-x} Crystals with $0 \leq x \leq 0.28$ 154

T. Ohtani, R. Fujimoto, H. Yoshinaga, M. Nakahira, and Y. Ueda. The Intralayer Order–Disorder Transition in Monoclinic $Cr_{3\pm x}Se_4$ 161
A. Le Bail, C. Jacoboni, et R. De Pape. Ordre antiferromagnétique dans les verres fluorés "$PbMnFeF_7$" et "Pb_2MnFeF_9" 168
S. Geller, A. K. Ray, and K. Nag. Electrical Conductivity and Phase Transitions of the Solid Electrolyte System $(Cs_{1-y}Rb_y)Cu_4Cl_3(I_{2-x}Cl_x)$ 176
William H. McCarroll, Cynthia Darling, and Gary Jakubicki. Synthesis of Reduced Complex Oxides of Molybdenum by Fused Salt Electrolysis..... 189
H. D. Lutz, G. Wäschenbach, G. Kliche, and H. Haeuseler. Lattice Vibration Spectra, XXXIII: Far-Infrared Reflection Spectra, TO and LO Phonon Frequencies, Optical and Dielectric Constants, and Effective Charges of the Spinel-Type Compounds MCr_2S_4 (M = Mn, Fe, Co, Zn, Cd, Hg), MCr_2Se_4 (M = Zn, Cd, Hg), and MIn_2S_4 (M = Mn, Fe, Co, Ni, Cd, Hg) 196
I. F. Kononyuk, S. P. Tolochko, V. A. Lutsko, and V. M. Anishchik. Preparation and Properties of $La_{1-x}Ca_xCoO_3$ ($0{,}2 \leq x \leq 0{,}6$)..... 209
M. Ben Amor, J. C. Mutin, A. Aubry, et A. Courtois. Recherche d'une description structurale des décompositions endothermiques solide 1 → solide 2 + gaz. III. Cas de la réaction $BaC_2O_4{,}2H_2O \rightarrow BaC_2O_4{,}H_2O + H_2O$: Comparaison des structures cristallines des deux hydrates et analyse radiocristallographique des pseudomorphes 215
M. Ben Amor, J. C. Mutin, A. Aubry, et A. Courtois. Recherche d'une description structurale des décompositions endothermiques solide 1 → solide 2 + gaz. IV. Cas de la réaction $BaC_2O_4{,}2H_2O \rightarrow BaC_2O_4{,}H_2O + H_2O$: Caracteristiques du réarrangement structural réel 231
M. L. Norton, R. Tom, and W. S. Glaunsinger. Photoacoustic Determination of the Band Gaps of Ca_2MnO_4 and $Ca_3Mn_2O_7$..... 242
Bernard Frit, Georges Roult, et Jean Galy. Cristallochimie de $Tl^{III}_6Te^{VI}O_{12}$ et $Tl^{I}_6Te^{VI}O_6E_6$: un exemple original de l'activité stéréochimique de la paire électronique $6s^2(E)$ du thallium(I)..... 246
L. A. Bursill. Structure of Small Defects in Nonstoichiometric WO_{3-x} 256
Alain Ibanez, Jean-Claude Jumas, Josette Olivier-Fourcade, Etienne Philippot, et Maurice Maurin. Sur les chalcogeno-iodures d'antimoine SbXI (X = S, Se, Te): Structures et spectroscopie Mössbauer de ^{121}Sb..... 272
K. Aizawa, E. Iguchi, and R. J. D. Tilley. The Elastic Strain Energy and Stability of Some Idealized Lead–Bismuth Sulphides..... 284

Brief Communications
K. K. Cloß und S. Kemmler-Sack. Lumineszenz des Selten Erd-aktivierten polymorphen Perowskits $Sr_2Sr_{1/4}Gd_{1/2}\square_{1/4}WO_6$ (= $Sr_8SrGd_2\square W_4O_{24}$) 295
V. Kraševec, A. Prodan, J. Holc, and D. Kolar. Transmission Electron Microscopic Study of Reduced Ca_2UO_5..... 300
N. Kinomura, K. Terao, S. Kikkawa, and M. Koizumi. Preparation and Properties of WP_4..... 306

Number 3, July 15, 1983

R. J. Cava, A. Santoro, D. W. Murphy, S. Zahurak, and R. S. Roth. The Structures of Lithium Inserted Metal Oxides: $Li_2FeV_3O_8$ 309

B. L. Chamberland. Crystal Structure of the 6H $BaCrO_3$ Polytype 318
R. Reisfeld, G. Katz, C. Jacoboni, R. De Pape, M. G. Drexhage, R. N. Brown, and C. K. Jørgensen. The Comparison of Calculated Transition Probabilities with Luminescence Characteristics of Erbium(III) in Fluoride Glasses and in the Mixed Yttrium–Zirconium Oxide Crystal 323
Jinggen Huang, Jean Loriers, and Pierre Porcher. Spectroscopic Properties of Some Eu^{3+} Doped Scheelite-Related Rare Earth Sesquimolybdates and Sesquitungstates 333
Hans-Lothar Keller. Das System $TlCl/PbCl_2$ 346
Stanislaw A. Hodorowicz, Ewa K. Hodorowicz, and Harry A. Eick. Preparation and Characterization of the System $BaBr_xCl_{2-x}$: The Structure of BaBrCl 351
C. Leygraf, M. Hendewerk, and G. Somorjai. The Preparation and Selected Properties of Mg-Doped *p*-Type Iron Oxide as a Photocathode for the Photoelectrolysis of Water Using Visible Light 357
L. Douxing, L. Stenberg, and S. Andersson. High Resolution Electron-Microscope Studies on a Quenched $(Ni_{0.5}Cr_{0.5})_7Nb_6$ Alloy 368
Jacek Ziółkowski, Krystyna Krupa, and Krzysztof Mocała. Defect Structures in the Brannerite-Type Vanadates: V. Phase Diagram of the Pseudo-Ternary MnV_2O_6–$LiVMoO_6$–MoO_3 System Comprising the $Mn_{1-x-y}Li_y\phi_x$ $V_{2-2x-y}Mo_{2x+y}O_6$ Solid Solution 376
K. Klepp and H. Boller. Channel Structures Based on Octahedral Frameworks: The Crystal Structure of $TlTi_5Se_8$, TlV_5Se_8, and $TlCr_5Se_8$ and Its Relationships to $TlCr_3S_5$, Hollandites, and Psilomelane 388
J. Holc and L. Golič. The Synthesis and Crystal Structure of α-Ca_3UO_6 396
Irmèla Brach, Deborah J. Jones, and Jacques Rozière. The Crystal Structure of $RbHSeO_4$: A Neutron Diffraction Study of the Paraelectric Phase 401
P. G. Dickens and M. T. Weller. The Structure of a Cubic Hydrogen Rhenium Bronze, $H_{1.36}ReO_3$ 407
Marcel Touboul, Claudette Bois, et Dénagnon Amoussou. Mise en évidence d'un nouvel anion à huit atomes de bore dans $Tl_4[B_8O_{12}(OH)_4]H_2O$ 412
M. Zocchi, M. Gatti, A. Santoro, and R. S. Roth. Neutron and X-Ray Diffraction Study on Polymorphism in Lithium Orthotantalate, Li_3TaO_4 420
R. Blachnik, M. Lasocka, and U. Walbrecht. The System Copper–Tellurium 431
John H. Kennedy, Ann M. Schuler, and George E. Cabaniss. Reexamination of β-Alumina Doped with Chromium Using Photoacoustic Spectroscopy 439

Erratum

Volume 43, Number 3, July 15, 1982: Y. Sternberg, N. Yellin, S. Cohen, and L. Ben Dor, "Lattice Matching and Thermal Expansion in the Pb–Sn–Te System," pp. 364–367 446

Author Index for Volume 48 447

The Subject Index for Volume 48 will appear in the December 1983 issue as part of a cumulative index for the year 1983.

Information for Authors

The *Journal of Solid State Chemistry* is a research journal devoted to the chemical, structural, thermodynamic, electronic, magnetic, and optical properties and processes of solids. Theoretical and experimental contributions are both welcome. Critical reviews are occasionally presented in selected rapidly developing fields.

Original papers only will be considered. Manuscripts are accepted for review with the understanding that the same work has not been and will not be published nor is presently submitted elsewhere, and that all persons listed as authors have given their approval for the submission of the paper; further, that any person cited as a source of personal communications has approved such citation. Written authorization may be required at the Editor's discretion. Articles and any other material published in the *Journal of Solid State Chemistry* represent the opinions of the author(s) and should not be construed to reflect the opinions of the Editor(s) and the Publisher.

Authors submitting a manuscript do so on the understanding that if it is accepted for publication, copyright in the article, including the right to reproduce the article in all forms and media, shall be assigned exclusively to the Publisher. The Publisher will not refuse any reasonable request by the author for permission to reproduce any of his or her contributions to the journal.

Manuscripts may be presented as articles (i.e., conventional full-length expositions) or notes (brief rapid communications of important new work). Notes are limited to 1200 words and are given accelerated review and publication. English, French, and German are the official languages of the Journal but submission of articles in English is encouraged. Manuscripts should be submitted to *Journal of Solid State Chemistry*, Editorial Office, 111 Fifth Avenue, New York, New York 10003, or to any member of the Editorial Advisory Board.

Manuscripts should be submitted in triplicate—double-spaced on one side of 21.5 × 28 cm paper. Headings of major sections should be typed in capital letters and centered on the page. Each page of the manuscript should be numbered. Page one should consist of the manuscript title, the author's name, and the author's affiliation. For multiple authors, the author to whom correspondence is to be addressed should be indicated. Page two should consist of an abstract (50–150 words) suitable for use in *Chemical Abstracts*. The American Chemical Society's *Handbook for Authors* or the *Style Manual* of the American Institute of Physics should be followed regarding matters of style and abbreviation.

Tables. Tables should be numbered with Roman numerals in a sequence corresponding to the order of citation in the text. Footnotes to tables are to be placed directly below the table and should be indicated by superscript, lower-case italic letters (^{a,b,c}). Tables longer than two manuscript pages should be submitted as clear, sharp glossy photographs. They will be reproduced by photoengraving and should be designed to fit the Journal page after 50% reduction in each dimension. Errors in such tables cannot be corrected in proof.

Auxiliary Material. In lieu of publication, unusually long tables and sequences of repetitive figures must be deposited with the National Auxiliary Publications Service (NAPS). In particular, structure factor tables must be deposited if, in a clear, proportional, photoreduced format, they would occupy more than one Journal page (this corresponds to a limit of about 1000 F_o and F_c).

For material to be deposited, a deposit fee of $25.00 for up to 98 pages of standard-size or 49 pages of oversize deposited material is to be paid by the authors to NAPS. Appropriate transmittal forms to accompany the deposited material are supplied to the authors by the Editor at the time a paper is accepted for publication. The following footnote (wherein missing numbers are to be inserted by the author in page proof) should be used to reference deposited material.

See NAPS document No. ____ for ____ pages of supplementary material. Order from ASIS/NAPS. Microfiche Publications, P.O. Box 3513, Grand Central Station, New York, NY 10163. Remit in advance $4.00 for microfiche copy or for photocopy, $7.75 up to 20 pages plus $.30 for each additional page. All orders must be prepaid. Institutions and Organizations may order by purchase order. However, there is a billing and handling charge for this service of $15. Foreign orders add $4.50 for postage and handling, for the first 20 pages, and $1.00 for additional 10 pages of material, $1.50 for postage of any microfiche orders.

Figures. Figures should be submitted as glossy prints or as original black ink drawings, no larger than 21.5 × 28 cm. Press type is not acceptable. It is important that lettering on drawings be done with a lettering set and be planned to fit the proportion of the printed page. Lettering on the original should be large enough to be legible after reduction of the figure to single-column width. The difference in type size within a figure should be no more than approximately 15%. The caption of each axis should be lettered parallel to its axis. Background grids should not be included. For half-tone reproductions, glossy, high-contrast, black and white prints should be submitted. Each figure should be identified on the back with the author's name and figure number. Figures are to be cited in the text by consecutive Arabic numerals. Figure captions should be typed as a list on a separate page.

Equations. Equations should be typewritten or clearly handwritten with an Arabic number if necessary for reference placed in parentheses to the right of equation. Reference to equations should use the form "Eq. (3)."

Footnotes. Footnotes to the text should be indicated by consecutive superscript numbers and listed on a separate page at the end of the paper.

References. References should be cited in the text by consecutive underlined numbers in parentheses. The references must appear on a separate sheet, listed in numerical order, i.e., in accordance with order of citation in the text. After the reference number, the author's initials, last name, journal name, volume, initial page number, and year (in parentheses) should be listed in that order. Abbreviations for journal names should follow the style of *Chemical Abstracts Service Source Index,* 1980. For book references, give the author's name, name of book (in quotes), Editor's name (if any), edition (if other than the first), chapter or page number, publisher's name, place and year of publication.

Proofs. Unfolioed page proofs will be sent directly to the author from the printer together with order forms for reprints. There is no page charge.